SAFETY DATA SHEET

BG Dynamic Engine Cleaner



1/11

1. Product and company identification

Manufacturer	: BG Products Inc. 701 S. Wichita Street Wichita, KS, 67213, USA
Relevant identified uses	www.bgprod.com of the substance or mixture and uses advised against
MSDS #	: 103
Validation date	: 2/7/2013.
Responsible name	: Kolin Anglin, Environmental Coordinator 316-265-2686 msds@bgprod.com
In case of emergency	: (800) 424-9300 (CHEMTREC)

2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 83.4%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture	÷	Mixture
Other means of identification		Not available.
CAS number/other identifiers		
CAS number	÷	Not applicable.
Product code	:	103

Ingredient name %	•	CAS number
2-(2-butoxyethoxy)ethyl acetate5 - 10Distillates (petroleum), hydrotreated light paraffinic0.5 - 2	-	124-17-4 64742-55-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. First aid measures

Description of necessary fin	rst aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information	on (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

BG Dynamic Engine Cleaner

5. **Fire-fighting measures**

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions,	protective	equipment and	l emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid release to the environment.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Exposure controls/personal protection 8.

Control parameters

Occupational exposure limits

8. Exposure controls/personal protection

Ingredient name		Exposure limits
Distillates (petroleum), hydr	otreated light paraffinic	ACGIH TLV (United States, 3/2012). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 6/2009). TWA: 5 mg/m ³ 10 hours. Form: Mist STEL: 10 mg/m ³ 15 minutes. Form: Mist OSHA PEL (United States, 6/2010). TWA: 5 mg/m ³ 8 hours.
Appropriate engineering controls	control worker exposure to airborne with exposure limits, use process e	 Good general ventilation should be sufficient to e contaminants. If this product contains ingredients enclosures, local exhaust ventilation or other r exposure below any recommended or statutory
Environmental exposure controls	they comply with the requirements	process equipment should be checked to ensure of environmental protection legislation. In some ngineering modifications to the process equipment ons to acceptable levels.
Individual protection measu	<u>ires</u>	
Hygiene measures	eating, smoking and using the lava Appropriate techniques should be u	oroughly after handling chemical products, before tory and at the end of the working period. used to remove potentially contaminated clothing. e reusing. Ensure that eyewash stations and safety on location.
Eye/face protection	assessment indicates this is neces gases or dusts. If contact is possib	approved standard should be used when a risk sary to avoid exposure to liquid splashes, mists, ole, the following protection should be worn, unless degree of protection: safety glasses with side-
Skin protection		
Hand protection		ves complying with an approved standard should be emical products if a risk assessment indicates this is
Body protection		the body should be selected based on the task being nd should be approved by a specialist before
Other skin protection		ional skin protection measures should be selected and the risks involved and should be approved by a uct.
Respiratory protection	standard if a risk assessment indic	or air-fed respirator complying with an approved ates this is necessary. Respirator selection must be osure levels, the hazards of the product and the safe rator

9. Physical and chemical properties

Date of issue/Date of revision	: 2/7/2013. Date of previous issue : 12/21/2012. V	/ersion :4 4/11
рН	: Not available.	
Odor	: Aromatic.	
Color	: Amber.	
Flammable limits	: Not available.	
Auto-ignition temperature	: Not available.	
Flash point	: Open cup: 130°C (266°F) [Cleveland.]	
Physical state	: Liquid.	

9. Physical and chemical properties

Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Specific gravity	: 0.8531
Vapor pressure	: 110 kPa (825 mm Hg) [room temperature]
Vapor density	: >1 [Air = 1]
Odor threshold	: Not available.
Evaporation rate	: Not available.
Viscosity	: Kinematic (40°C (104°F)): 0.1988 cm ² /s (19.88 cSt)
Solubility	: Insoluble in the following materials: cold water and hot water.
Pour point	: -10°C (14°F)
Density	: 7.112 (lbs/gal)
VOC content	: 0 % (w/w)

10. Stability and reactivity

Reactivity	No specific test data related to reactivity available for this product or its ingredients	3.
Chemical stability	The product is stable.	
Possibility of hazardous reactions	Inder normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	No specific data.	
Incompatible materials	No specific data.	
Hazardous decomposition products	Inder normal conditions of storage and use, hazardous decomposition products s not be produced.	hould

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-butoxyethoxy)ethyl acetate	LC50 Inhalation Dusts and mists	Rat	72500 mg/m ³	4 hours
Distillates (petroleum), hydrotreated light paraffinic	LD50 Dermal LD50 Oral LC50 Inhalation Dusts and mists	Rabbit Rat Rat	14500 mg/kg 6500 mg/kg 3900 mg/m³	- - 4 hours

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-(2-butoxyethoxy)ethyl acetate	Eyes - Moderate irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Date of issue/Date of revision

Section 11. Toxicological information

Net evaluable		
Not available.		
Teratogenicity		
Not available.		
Specific target organ toxici	<u>ty (single exposure)</u>	
Not available.		
Specific target organ toxici	ty (repeated exposure)	
Not available.		
Aspiration hazard		
Not available.		
Information on the likely routes of exposure	: Not available.	
Potential acute health effects	8	
Eye contact	 No known significant effects or critical 	hazards.
Inhalation	0	nay cause a health hazard. Serious effects may
	be delayed following exposure.	
Skin contact	: No known significant effects or critical	
Ingestion	: No known significant effects or critical	
	vsical, chemical and toxicological chara	<u>cteristics</u>
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	and to see forms on a second
Short term exposure	cts and also chronic effects from short a	ind long term exposure
Potential immediate	: Not available.	
effects	. Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate	: Not available.	
effects		
Potential delayed effects	: Not available.	
Potential chronic health eff	<u>ects</u>	
Not available.		
General	: No known significant effects or critical	hazards.
Carcinogenicity	: No known significant effects or critical	hazards.
Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
Developmental effects	: No known significant effects or critical	
Fertility effects	: No known significant effects or critical	hazards.
Numerical measures of toxic	ity	
Acute toxicity estimates		
Route		ATE value
Inhalation (dusts and mists)		58.84 mg/l

12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name 2-(2-butoxyethoxy)ethyl acetate	LogPow 2.9	BCF -	Potential low
Mobility in soil Soil/water partition coefficient (Koc)	: Not available.		

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	UN3082	UN3082
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Z)- octadec-9-enylamine). Marine pollutant ((Z)- octadec-9-enylamine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Z)- octadec-9-enylamine)
Transport hazard class(es)	-	9	9
Packing group	-	III	
Environmental hazards	Yes.	Yes.	Yes.
Date of issue/Date of r	revision : 2/7/2013.	Date of previous issue : 12/21/2012.	Version : 4 7/

14. Transport information

Additional	-	Emergency schedules (EmS)	Passenger and Cargo
information		F-A, S-F	AircraftQuantity limitation: 450
			L
		<u>Remarks</u>	Cargo Aircraft OnlyQuantity
		Marine Pollutant:	limitation: 450 L
			Limited Quantities -
			Passenger AircraftQuantity
			limitation: 30 kg
			<u>Remarks</u>
			Marine Pollutant:

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

U.S. Federal regulations	: TSCA 8(a) PAIR: diphenylamine; Phenol, (tetrapropenyl) derivs.; naphthalene
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): Not determined.
	Clean Water Act (CWA) 307: naphthalene; benzene
	Clean Water Act (CWA) 311: naphthalene; benzene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
<u>SARA 302/304</u>	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: Immediate (acute) health hazard Delaved (chronic) health hazard

Composition/information on ingredients

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Distillates (petroleum), hydrotreated heavy paraffinic	No.	No.	No.	No.	Yes.
Distillates (petroleum), hydrotreated light	Yes.	No.	No.	No.	Yes.
2-(2-butoxyethoxy)ethyl acetate	No.	No.	No.	Yes.	No.
Distillates (petroleum), solvent-refined heavy paraffinic	No.	No.	No.	No.	Yes.
Distillates (petroleum), solvent-refined light paraffinic	No.	No.	No.	No.	Yes.
Distillates (petroleum), hydrotreated light paraffinic	No.	No.	No.	Yes.	Yes.
Distillates (petroleum), solvent-dewaxed heavy paraffinic	No.	No.	No.	No.	Yes.

15. Regulatory information

<u>SARA 313</u>

	Product name	CAS number
Form R - Reporting requirements	2-(2-butoxyethoxy)ethyl acetate	124-17-4
Supplier notification	2-(2-butoxyethoxy)ethyl acetate	124-17-4

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations	
Massachusetts	 The following components are listed: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-REFINED LIGHT PARAFFINIC; MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED LIGHT PARAFFINIC
New York	: None of the components are listed.
New Jersey	The following components are listed: MINERAL OIL (UNTREATED and MILDLY TREATED); GLYCOL ETHERS; MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED); MINERAL OIL (UNTREATED and MILDLY TREATED)
Pennsylvania	: The following components are listed: GLYCOL ETHERS

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level	
naphthalene benzene	Yes. Yes.	No. Yes.	Yes. 6.4 µg/day (ingestion) 13 µg/day (inhalation)	No. 24 µg/day (ingestion) 49 µg/day (inhalation)	

United States inventory (TSCA 8b)	: Not determined.
<u>Canada</u>	
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).
<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: Hydrotreated light distillate
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: Not determined.
This weed ust has been also	if a diverse of the second anteria of the Controlled Dreducts Down

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

: Australia inventory (AICS): Not determined.
China inventory (IECSC): Not determined.
Japan inventory: Not determined.
Korea inventory: Not determined.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.
Taiwan inventory (CSNN): Not determined.

16. Other information

Hazardous Material Information System (U.S.A.)

Health		2
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 2/7/2013.
Date of issue/Date of revision	: 2/7/2013.
Date of previous issue	: 12/21/2012.
Version	: 4
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.